

Amendments to the Claims:

Claims 1-12 (canceled)

13. (New) A compound of formula II:


L - X - L

II

or a pharmaceutically acceptable salt thereof; wherein:

one L is selected from the group consisting of:

(a) a moiety of formula XI:



wherein

each  $R_v$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;


$R_v$  is a covalent bond linking the moiety to the linker;

each  $R_w$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$Q_6$  is  $NR_w$ , O, S or alkylene, where  $R_w$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$Q_6$  is  $NR_m$ , O, S or alkylene, where  $R_m$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;  
each  $m$  is independently an integer from 1 to 3;

(b) a moiety of formula XII:



XII

wherein


each  $R_x$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;

$R_y$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl and substituted alkynyl;

$R_z$  is a covalent bond linking the moiety to the linker;

$E$  is CH or N; and

(c) a moiety of formula XIII:



XIII

wherein

each  $R_{aa}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;


$R_{ab}$  is alkyl, substituted alkyl, alkoxy, substituted alkoxy, amino, substituted amino, thioalkoxy, substituted thioalkoxy, wherein the alkyl, substituted alkyl, alkoxy, substituted alkoxy, amino, substituted amino, thioalkoxy or substituted thioalkoxy group is substituted with a covalent bond linking the moiety to the linker;

D is a covalent bond,  $NR_{ab}$ , O or S, where  $R_{ab}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

E is CH or N;

and the other L is selected from the group consisting of:

- (d) a moiety of formula XI;
- (e) a moiety of formula XII;
- (f) a moiety of formula XIII:
- (g) a moiety of formula VI:



wherein


each  $R_j$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

$R_k$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, alkoxy, hydroxy, halogen and -CHO;

each  $Q_2$  is independently  $NR_j$ , O and S, where  $R_j$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

provided one and only one of  $R_j$  comprises a covalent bond linking the moiety to the linker;

(h) a moiety of formula VIII:



wherein


each  $R_o$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$R_p$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-OZ'$  where  $Z'$  is a covalent bond linking the moiety to the linker;

$Z$  is 2H or O;

$m$  is an integer from 1 to 3;

(i) a moiety of formula IX:



wherein

each  $R_q$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl, heterocyclic and a covalent bond linking the moiety to the linker;


each  $R_q$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

$R_s$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

$R_t$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker;

provided one and only one of  $R_q$  or  $R_t$  comprises a covalent bond linking the moiety to the linker;

(j) a moiety of formula X:



wherein

each  $R_t$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

each  $R_u$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl,


heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy and a covalent bond linking the moiety to the linker;

$Q_5$  is  $NR_t$ , O, S or alkylene, where  $R_t$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

each  $m$  is independently an integer from 1 to 3;

provided one and only one of  $R_u$  comprises a covalent bond linking the moiety to the linker;

(k) a moiety of formula XIV:




wherein

$R_{ac}$  is a covalent bond linking the moiety to the linker;

$R_{ad}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl and heterocyclic;

$R_{ae}$  is aryl or heteroaryl;

(l) a moiety of formula XV:



wherein

$R_{af}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl and acyl;

each  $R_{ag}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;


$R_{ah}$  is aryl or heteroaryl;

$R_{ai}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker;

$Q_7$  is  $NR_{af}$ , O, S or alkylene, where  $R_{af}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$m'$  is 1 or 2;

(m) a moiety of formula XVI:



wherein

each  $R_{aj}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

$R_{ai}$  is aryl or heteroaryl;

each  $R_{ak}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl,


substituted cycloalkyl, aryl, heteroaryl, heterocyclic, and a covalent bond linking the moiety to the linker;

$Q_8$  is  $NR_{al'}$ , O, S or alkylene, where  $R_{al'}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

$m$  is an integer from 1 to 3;

provided one and only one of  $R_{ak}$  comprises a covalent bond linking the moiety to the linker;

(n) a moiety of formula XIX:



wherein

$R_{as}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

$R_{at}$  is selected from the group consisting of 4-phosphonomethylphenyl, 4-phosphonodifluoromethylphenyl, 3-carboxy-4-carboxymethoxyphenyl and 3,4-dihydroxyphenyl;


$R_{au}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-OZ'$ , where  $Z'$  is a covalent bond linking the moiety to the linker;

$R_{av}$  is selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and alkaryl;

provided one and only one of  $R_{as}$  and  $R_{au}$  comprises a covalent bond linking the moiety to the linker;



(o) a moiety of formula XX:



wherein


each  $R_{aw}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy and substituted thioalkoxy;

each  $R_{ax}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy, a covalent bond linking the moiety to the linker and  $-OZ'$ , where  $Z'$  is a covalent bond linking the moiety to the linker;

each  $m$  is independently an integer from 1 to 3;

provided one and only one of  $R_{ax}$  comprises a covalent bond linking the moiety to the linker;


(p) a moiety of formula XXIV:



wherein

$R_{be}$  is a covalent bond linking the moiety to the linker;


(q) a moiety of formula XXVI:



wherein

$R_{bi}$  is a covalent bond linking the moiety to the linker;

(s) a moiety of formula XXVII:




wherein

each  $R_{bj}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl and a covalent bond linking the moiety to the linker;

$Q_{11}$  is  $NR_{bj}$ , O, S or alkylene, where  $R_{bj}$  is hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl or acyl;

provided one and only one of  $R_{bj}$  comprises a covalent bond linking the moiety to the linker;

(t) a moiety of formula XXVIII:




wherein

each  $R_{bk}$  is independently selected from the group consisting of hydrogen, alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, acyl, acylamino, acyloxy, alkoxy, substituted alkoxy, amino, substituted amino, aminoacyl, aminoacyloxy, aryl, carboxyl, carboxyalkyl, cyano, cycloalkyl, substituted cycloalkyl, halogen, heteroaryl, heterocyclic, hydroxy, oxyacylamino, nitro, thioalkoxy, substituted thioalkoxy,  $-SO-R_{bk}$ , and  $-SO_2-R_{bk}$ , where  $R_{bk}$  is alkyl, substituted alkyl, alkenyl, substituted alkenyl, alkynyl, substituted alkynyl, cycloalkyl, substituted cycloalkyl, aryl, heteroaryl or heterocyclic;

$R_{bl}$  is aryl or heteroaryl, wherein the aryl or heteroaryl group is substituted with a covalent bond linking the moiety to the linker or with  $-(CH_2)_u-Z'$ , where  $Z'$  is a covalent bond linking the moiety to the linker and  $u$  is an integer from 1 to 3;

$m$  is an integer from 1 to 3; and

(u) a moiety of formula XXIX:



wherein


$R_{bn}$  is selected from the group consisting of alkoxy, substituted alkoxy, hydroxy and  $-OZ'$ , where  $Z'$  is a covalent bond linking the moiety to the linker;

$R_{bo}$  is aryl or heteroaryl;

$R_{bp}$  is acyl, alkoxycarbonyl and a covalent bond linking the moiety to the linker;

provided one and only one of  $R_{bn}$  and  $R_{bp}$  comprises a covalent bond linking the moiety to the linker;

and each X is a linker independently selected from a group of the formula:



wherein

$m'$  is an integer of from 0 to 20;

$X^a$  at each separate occurrence is selected from the group consisting of -O-, -S-, -NR-, -C(O)-, -C(O)O-, -C(O)NR-, -C(S)-, -C(S)O-, -C(S)NR- or a covalent bond;

Z is at each separate occurrence is selected from the group consisting of alkylene, substituted alkylene, cycloalkylene, substituted cycloalkylene, alkenylene, substituted alkenylene, alkynylene, substituted alkynylene, cycloalkenylene, substituted cycloalkenylene, arylene, heteroarylene, heterocyclene, or a covalent bond;

$Y^a$  and  $Y^b$  at each separate occurrence are selected from the group consisting of: -C(O)NR'-, -NR'C(O)-, -NR'C(O)NR'-, -C(=NR')-NR'-, -NR'-C(=NR')-, -NR'-C(O)-O-, -N=C(R)-NR'-, -P(O)(OR')-O-, -S(O)<sub>n</sub>CR'R''-, -S(O)<sub>n</sub>-NR'-, -S-S- and a covalent bond; where  $n$  is 0, 1 or 2; and

R, R' and R'' at each separate occurrence are selected from the group consisting of hydrogen, alkyl, substituted alkyl, cycloalkyl, substituted cycloalkyl, alkenyl, substituted alkenyl, cycloalkenyl, substituted cycloalkenyl, alkynyl, substituted alkynyl, aryl, heteroaryl and heterocyclic.


14. (New) The compound of Claim 13, wherein one or both ligands are a moiety of formula XI.

15. (New) The compound of Claim 13, wherein one or both ligands are a moiety of formula XII.

16. (New) The compound of Claim 13, wherein one or both ligands are a moiety of formula XIII.

17. (New) The compound of Claim 13, wherein one L is selected from the group consisting of:

(a) a moiety of formula O:




wherein

R<sub>26</sub> is selected from the group consisting of hydrogen and acyl;

Het<sub>1</sub> is heterocyclic or heteroaryl;

(b) a moiety of formula P:




wherein

R<sub>27</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms and substituted alkyl;

Ar<sub>3</sub> is aryl; and

(c) a moiety of formula S:



wherein

D is selected from the group consisting of a covalent bond, -NH-, -S- and -O-;

E is selected from the group consisting of CH and N;

Ar<sub>3</sub> is aryl;


and the other L is selected from the group consisting of:

(d) a moiety of formula O;

(e) a moiety of formula P;

(f) a moiety of formula S;

(g) a moiety of formula D:




wherein

R<sub>6</sub> is selected from the group consisting of substituted alkyl and -CHO;

R<sub>7</sub> is selected from the group consisting of hydrogen, alkyl and acyl;

(h) a moiety of formula F:



wherein

R<sub>10</sub> is selected from the group consisting of hydrogen, alkoxy, amino and substituted amino;


R<sub>11</sub> is selected from the group consisting of hydrogen, alkoxy, halogens, amino, substituted amino and nitro;

R<sub>12</sub> is selected from the group consisting of hydrogen, hydroxy, alkoxy and halogen;

R<sub>13</sub> is selected from the group consisting of hydrogen, hydroxy, alkoxy and halogen;

Z is selected from the group consisting of 2H and O;

(i) a moiety of formula H:




wherein


R<sub>17</sub> and R<sub>18</sub> are independently selected from the group consisting of hydrogen and alkyl of 1 to 6 carbon atoms;

R<sub>19</sub> is selected from the group consisting of alkyl of 1 to 6 carbon atoms, CH<sub>2</sub>C(O)OEt, -(CH<sub>2</sub>)<sub>3</sub>OH, alkaryl, aryl and heteroaryl;

(j) a moiety of formula N:



(k) a moiety of formula U:




wherein

R<sub>29</sub> is selected from the group consisting of 4-pyrimidinyl, 2-methylaminopyrimidin-4-yl, 2-phenoxy pyrimidin-4-yl, 2-(4-methoxyphenoxy)pyrimidin-4-yl, 2-(4-fluorophenoxy)pyrimidin-4-yl, 2-(4-aminocarbonylphenoxy)pyrimidin-4-yl, 2-(4-ethylphenoxy)pyrimidin-4-yl, 2-(4-benzyloxyphenoxy)pyrimidin-4-yl, 2-(4-cyanophenoxy)pyrimidin-4-yl, 2-(4-hydroxyphenoxy)pyrimidin-4-yl, 2-(3-methoxyphenoxy)pyrimidin-4-yl, 2-(4-phenylphenoxy)pyrimidin-4-yl, 2-(4-phenoxyphenoxy)pyrimidin-4-yl, 2-(3-hydroxyphenoxy)pyrimidin-4-yl, 2-(2-hydroxyphenoxy)pyrimidin-4-yl, 2-(3,4-methylenedioxyphenoxy)pyrimidin-4-yl, 2-(3-fluorophenoxy)pyrimidin-4-yl, 2-(2-fluorophenoxy)pyrimidin-4-yl, 2-(2-methoxyphenoxy)pyrimidin-4-yl, 2-(3-trifluoromethylphenoxy)pyrimidin-4-yl, 2-(3,4-difluorophenoxy)pyrimidin-4-yl,



2-(4-methylsulfonylphenoxy)pyrimidin-4-yl, 2-(4-methoxyphenoxy)pyrimidin-4-yl, 4-pyridinyl, 2-phenoxy-pyridin-4-yl, 2-(4-methoxyphenoxy)pyridin-4-yl, 2-(4-fluorophenoxy)pyridin-4-yl, 2-(4-benzyloxyphenoxy)pyrimidin-4-yl, 2-(4-cyanophenoxy)pyrimidin-4-yl, 2-(4-hydroxyphenoxy)pyrimidin-4-yl, 2-(3-methoxyphenoxy)pyrimidin-4-yl, 2-(4-phenylphenoxy)pyrimidin-4-yl, 2-(4-phenoxyphenoxy)pyrimidin-4-yl, 2-(3-hydroxyphenoxy)pyrimidin-4-yl, 2-(2-hydroxyphenoxy)pyrimidin-4-yl, 2-(3,4-methylenedioxyphenoxy)pyrimidin-4-yl, 2-(3-fluorophenoxy)pyrimidin-4-yl, 2-(2-fluorophenoxy)pyrimidin-4-yl, 2-(2-methoxyphenoxy)pyrimidin-4-yl, 2-(3-trifluoromethylphenoxy)pyrimidin-4-yl, 2-(3,4-difluorophenoxy)pyrimidin-4-yl, 2-(4-methylsulfonylphenoxy)pyrimidin-4-yl, and 2-(4-methoxyphenoxy)pyrimidin-4-yl;

(l) a moiety of formula V:




wherein

R<sub>30</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms, halogen and alkoxy;

R<sub>31</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms, halogen, alkoxy and Z<sub>v</sub>;

R<sub>32</sub> is selected from the group consisting of hydrogen, amino, substituted amino, alkoxy, -NHCOCH<sub>3</sub>, and Z<sub>v</sub>, provided one and only one of R<sub>31</sub> and R<sub>32</sub> is Z<sub>v</sub>;

(m) a moiety of formula Z:




wherein

R<sub>34</sub> is selected from the group consisting of hydrogen, hydroxy, alkyl, alkoxy, halogen and substituted alkyl;


R<sub>35</sub> is selected from the group consisting of hydrogen and halogen;

R<sub>36</sub>, R<sub>37</sub>, and R<sub>38</sub> are selected from the group consisting of hydrogen, -NO<sub>2</sub>, alkyl, substituted alkyl, amino, substituted amino, alkoxy, hydroxy and halogen;

(n) a moiety of formula L:




(o) a moiety of formula M:



wherein, in formula L and M,

R<sub>22</sub> is selected from the group consisting of hydrogen, alkyl of 1 to 6 carbon atoms and substituted alkyl;


R<sub>23</sub> is



R<sub>24</sub> is selected from the group consisting of hydrogen and acyl;


R<sub>25</sub> is selected from the group consisting of alkyl and cycloalkyl;

R<sub>39</sub> is selected from the group consisting of




Ar<sub>2</sub> is selected from the group consisting of alkyl of 1 to 6 carbon atoms, substituted alkyl and aryl;


(p) a moiety of formula Q:




(q) a moiety of formula AA:




(r) a moiety of formula X:




(s) a moiety of formula Y:




(t) a moiety of formula AB:




(u) a moiety of formula AH:



(v) a moiety of formula AI:



(w) a moiety of formula AB':



wherein

$R_{41}$  is independently selected from the group consisting of hydrogen, 4-CH<sub>3</sub>, 5-CH<sub>3</sub> and 4,5-di-CH<sub>3</sub>;

$R_{42}$  is independently selected from the group consisting of hydrogen, CH<sub>3</sub>, -F, -Cl and -NO<sub>2</sub>;

$R_{49}$  is independently selected from the group consisting of acetyl, t-BOC, -Cbz, and -C(O)Ph;

$R_{50}$  is independently selected from the group consisting of C<sub>1-5</sub> alkyl (preferably methyl, ethyl and propyl);

$Ar_5$  is independently selected from the group consisting of C<sub>6</sub>H<sub>5</sub>, p-C<sub>6</sub>H<sub>4</sub>OH, and other substituted phenyl groups;

$u$  is an integer from 1 to 3,  
and further wherein  $Z_d, Z_f, Z_h, Z_l, Z_m, Z_n, Z_o, Z_p, Z_q, Z_s, Z_u, Z_v, Z_x, Z_y, Z_z, Z_{aa}, Z_{ab}, Z_{ah},$   
and  $Z_{ai}$  are covalent bonds linking the moiety to the linker;  
and stereoisomers and analogs thereof.

18. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formulae D, F, H, N, O, P, S, U, V, or Z.

19. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formulae L or M.

20. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formula Q.

21. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formula AA.

22. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formulae X or Y.

23. (New) The compound of Claim 17, wherein one L is a moiety of formulae O, P, or S,  
and the other L is a moiety of formulae AB, AH, or AI.

24. (New) The compound of Claim 17, wherein one or both L is a moiety of formulae O.

25. (New) The compound of Claim 17, wherein one or both L is a moiety of formulae P.

26. (New) The compound of Claim 17, wherein one or both L is a moiety of formulae S.

27. (New) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 13.
28. (New) A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 17.
29. (New) method of treating a disease or medical disorder mediated by a protein kinase, the method comprising administering to a mammal a pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 13.
30. (New) A method of treating a disease or medical disorder mediated by a protein kinase wherein the disease or medical disorder is selected from the group consisting of recurrent ocular herpetic keratitis, diabetic retinopathy, VEGF-induced angiogenesis, macular degeneration, ischemia, atherosclerosis, chronic inflammatory disease, psoriasis, arthritis, and neoplasia, the method comprising administering to a mammal in need of such treatment a pharmaceutical composition comprising a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of Claim 13.